

Visit us 'on the web' at: www.kosband.com

KOS Band

CONTRACT RIDER

MANDATORY PROVISIONS

- A. The building or hall must be unlocked and available no less than three hours prior to the starting time of the engagement. Failure to do this may result in a delaying of the starting time of the performance.
- B. ELECTRICAL REQUIREMENTS
1. To ensure an **uninterrupted** Kings of Swing performance due to power loss, please provide a 220 volt, 50 amp female range receptacle, grounded or non-grounded. You may think that 220 power is not available in your building or place of event, but almost without exception all buildings have 220-volt power available. All that is required is the proper electrical connection. Please notify KOS for alternate 220-volt connections if the plugs detailed below are not available.
 2. Standard 110 volt residential type receptacles may be provided instead of the 220-volt power we have requested. However, KOS's experience has shown that this method of providing power is generally unreliable for our use and carries with it the risk of possible power interruptions. This is an inconvenience to **your** event and unprofessional for KOS. This should be avoided if at all possible.
 3. If you choose to provide this type of power we will need a minimum of 5 outlets, each on its own dedicated 20 amp circuit (breaker). Please investigate this thoroughly prior to the event.
 4. Please make every effort to provide the 220-volt power to insure an uninterrupted performance.
 5. Please see *Detailed Specification of Electrical Power and Generator Requirements* (below) for more detailed information.
- C. If there is over one (1) flight of stairs or greater than 75 feet of walking distance between the truck loading area and the stage, the Presentor must furnish at least two (2) stagehands to assist in the unloading and reloading of the Kings of Swing equipment. Otherwise, the presentor must pay an additional fee of \$200.00, so that KOS may obtain the necessary stagehands prior to the engagement.
- D. Payment must be made at the time of load-in by cash or company, school, or certified check payable to *Kings of Swing, Inc.*

Visit us 'on the web' at: www.kosband.com

- E. Two private dressing rooms, with facilities, to accommodate six (6) persons each must be provided. One room should be stocked at load-in time with ice, water, and soft drinks. **Full dinner must be provided for Thirteen (13) persons. Suggestions include pizza, pasta, Chinese food, Club sandwiches, service from the buffet provided for the guests of the event, Cheeseburgers w/fries, etc.**
- F. A \$20.00 per Diem charge per band member per day is required for Convention/multiple day bookings only.
- G. **PARKING:** Presentor must provide parking for 4 vehicles (one (1) 24 foot truck and three (1) additional vehicle) at no cost to KOS.

ADDITIONAL PROVISIONS


- A. To perform to the maximum, KOS needs a stage at least twenty-eight (28) feet wide and twenty-four (24) feet deep and one (1) to three (3) feet in height. A smaller stage will be considered, but the presentor should make an effort to insure as much staging area as possible.
- B. **Important!** Stage listed above must be stable, secure and level to ensure the safety of performers. All KOS equipment must be able to be placed on a level surface for optimal performance and the safety of KOS personnel and your guests.

VIDEO REPRODUCTION

Video taping of Kings of Swing performance is allowed for private use only. Presentor agrees to provide KOS with a free copy of any professionally videotaped performance (in any of the following formats: DVS PRO, DV, BETA-SP, or SVHS) no later than 4 weeks after the performance. Tape should be sent to:

Bruce Swartz
10521 Glencoe Road
Glen Allen, Va. 23060

Detailed Specification of Electrical Power:



50 amp, Single Phase, 125/250 Volt, 3-Pole, 3-wire, (NEMA 10-50r receptacle) or 50 Amp, Single Phase, 125/250 Volt, 3-pole, 4-Wire Grounding (NEMA 14-50r receptacle). See diagram at left.

Electrical service shall meet or exceed current electrical codes. This would include (but not limited to) wire gauge (wire sizes). Wire gauge for 50 amp service is a minimum of 6 gauge copper.

Generator Requirements:

One generator must be provided for Kings of Swing band use. Multiple generators for KOS use are unacceptable. Generator must be capable of 25 KW minimum, 35 KW is recommended.

Generator must be capable of maintaining a consistent 110 volt to 125 volt, single phase, 50 amp (minimum), 60 cycle, plus or minus 10%; 0-load to full load service.

The generator must be diesel powered and designed to provide electrical power for computer operated equipment.

Generator must be supplied with power plug receptacle as described above.

Generator is to be for KOS use only. The Generator should be located 25 to 50 feet from the stage.

Presenter of event is responsible for the quality and reliability of the electrical power generator and will replace at no charge to Kings of Swing any and all KOS equipment damaged by the use of the generator, either by gross negligence, accident or malfunction of the generator unit.

Visit us 'on the web' at: www.kosband.com

KINGS OF SWING
OUTDOOR EVENT RIDER

The presentor understands that outdoor events, in particular those without alternate facilities, are risky due to inclement weather conditions and that the Presentor is prepared to assume responsibility for the risks involved.

For safety purpose, KOS will not be obligated to perform on wet or damp surfaces or under conditions where precipitation poses a safety threat to the musicians, road crew, or their equipment. For health reasons, KOS will not be obligated to perform in an outdoor event where the temprature is less than 55 degrees Fahrenheit.

THE PRESENTOR UNDERSTANDS AND AGREES TO THE FOLLOWING:

1. Should unsafe performing or inclement weather, as defined above, prevent the Kings of Swing from performing, the full amount contracted is due to the Kings of Swing upon demand.
2. Upon arrival of KOS, road crew, or equipment, the Presentor will determine where the KOS should set up their equipment. Should conditions change and become unacceptable, as defined above, after the Kings of Swing have begun to set up, the Presentor is obligated to pay the the Kings of Swing upon demand. The Kings of Swing will not begin to set up more than once as they are not obligated to set up a second time.
3. Should the Presentor decide to utilize an alternate location in anticipation of inclement weather and the inclement weather conditions fail to materialize, KOS is not obligated to set up the equipment a second time. The Kings of Swing will perform at the Presentor's indoor location and will be paid in full upon demand.

The purpose of this rider is to inform the Presentor of the risks and obligations of sponsoring an outdoor event and to clarify the provisions involved with the primary problems: inclement weather and unsafe staging area.